L 10176-63 EWT(1)/BDS/EED(b)-2/ES(v)-ASD/RADC/SSD--Pe-4---IJP(C)

ACCESSION NR: AP3001619

s/0030/63/000/005/0073/0075

AUTHOR: Shnirman, G. L.; Dubovik, A. S.; Kevlishvili, P. V.; Granige

Korolev, I. A.

TITLE: New camera for high-speed photography

SOURCE: AN SSSR. 33 Vestnik, no. 5, 1963, 73-75

TOPIC TAGS: high-speed photography, photographing physical phenomena

ABSTRACT: The Institut khimicheskoy fiziki Akademii nauk SSSR (Institute of Physical Chemistry, Academy of Sciences SSSR) has designed and built the ZhLV-1 camera for photographing high-speed luminescent phenomena, e.g., hightemperature plasma, combustion and explosion processes, and shock waves. The orginality of the mirror-scanning system, the automation of operation, and the camera's advanced engineering characteristics make it a very powerful tool for investigation. The camera can be used for frame photography with a speed of 45,000 to 4,200,000 frames per second and as a photorecorder with slit scanning and time resolution of up to 2 x 10 sup -8 sec. The frame size and image

Card 1/2

L 10176-63 ACCESSION NR: AP3001619

scale can be selected according to the experimental conditions. The focal length varies from 50 to 450 mm. Continuous photorecording is done by means of mirror scanning, which is accomplished by two plane-parallel mirrors crossed at an angle of 45° and located on one axis of rotation in two circles, one above the other. The camera is controlled remotely. The operator controls the supply voltage and the vacuum pump manually; all other operations proceed automatically. There is a system for recording the rotations of mirrors during photographing. The mirror-scanning, frame-photographing, and photorecording with slit scanning processes are shown diagramatically. Orig. art. has: 4 figures.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 21Jun63

ENCL: 00

SUB CODE: 00

NO REF SOV: 000

OTHER: 000

Card 2/2

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

ACC NR: AT6000081 SOURCE CODE: UR/2619/64/000/035/0036/0042 AUTHOR: Shnirman, G. L. 33 ORG: Institute of Physics of the Earth im. O.Yu. Shmidt, AN SSSR(Institut fiziki zemli AN SSSR) TITLE: Epicentral seismic station SOURCE: AN SSSR. Institut fiziki zemli. Trudy, no. 35, 1964, 36-42 TOPIC TAGS: seismologic station, seismography, seismograph, pendulum mechanics, seismologic instrument 44.55,12-44,53,12 ABSTRACT: This station is a variation of a three-component optical seismograph with round-the-clock microphotographic recording. The two horizontal pendulums are perpendicular to each other, and the axis of rotation is vertically oriented. The vortical pendulum is suspended by a cylindrical helical spring whose initial length is zero. Records are made photographically on 70-mm "Mikrat 300" high-resolution film at a rate of 12 mm/min. Seismograph magnifications may be 2X, 1X, 0.5X, 0.2X, and O.LX, depending on the disposition of the counterweights. Since the recording rays can be moved ±10mm along the surface of the photographic paper, vibration amplitudes are 5, 10, 20, 50, and 100 mm, respectively (schematics for optics, unwinding of recorder, and electric motor are shown). Orig. art. has: 4 figures. FSB: v. 1, no 5 SUB CODE: ES / SUBM DATE: none 09010458

CIA-RDP86-00513R001549820008-4

SHAIRMAL, L. I.

Shnirmen, N. I. "The basic problems of the light equinst orippling of children in the USSR", Stornik nauch. trudov (N-vo odravockhraneniya RSFSR. Resp. nauch. issled. in-t vosstanovleniya trudosposobnosti fiz. defektivnykh detey im. prof. Turnera), Leningrad, 1948, p. 6-16.

So: U- 3042, 11 March 53, (Letopis "Zhurnal "nykh Statey, No. 7, 1949).

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

Similifian, N.I. "Trause in childr in from Meningrad data," Trudy VI Vassovuz. slyezda data, vrachow, pestrashot. carrett prof. Filatova, Mescow, 1017, p. 151-56

So: U-3264, 10 April 1953, (Latopis 'Ehurnal 'nykh Statey, No. 3, 1942)

CIA-RDP86-00513R001549820008-4

"Beitrage zur Spiegelkamera,"

paper presented at 4th Intl. Congress on High SPeed Photography, Cologne, 22-27 Sep 53.

CIA-RDP86-00513R001549820008-4

L 40317-66 EWF(1) GW	
ACC NR. AP6005348 SOURCE CODE: UR/0413/66/000/001/0092/0092 32	
INVENTOR: Voyutskiy, V. S.; Vishnyakov, Ye. P.; Shnirson, M. B.; Lev; I. S.; Grodzenskiy, V. A.; Tabakov, A. P.	
ORG: none	B. Criticals
TITLE: Method of recording weak explosions and earthquakes. Class 42, No. 177640	N. ASSERBACION S. C. C. C. C.
SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 1, 1966, 92	
TOPIC TAGS: earthquake, carthquake recording, seismic ribration, wove, correlation function, explosion, explosion recording seisma logy	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
ABSTRACT: An Author Certificate has been issued for a method of recording weak explosions and earthquakes based on determination of the interrelation function of seismic vibrations. To improve the quality and reliability of measurements, the values of the function obtained for a number of receiving points arranged along the profile are summed up with the varying time shifts corresponding to those predetermined by the location of the receiving points along the profile. [LD]	
SUB CODE: 08/ SUBM DATE: 29Jan63/	ę
Card 1/1/11/11 UDC: 550.341	

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHOTPKO, I.

Swine

Successes of a leading swineherd. Wolkh.proizv. 12 no. 8, 1952.

9. HORTHLY LIST OF RUSSIAN ACCESSIONS, Library of Congress, November 1952. Uncl.

CIA-RDP86-00513R001549820008-4

621.01 .B8

GEOGRAFIYA LATVIYSKOY SSR; UCHEBNIK

DLYA 9. KLASSA SREDNEY SHKOLY / GEO-

GRAPHY OF LATVIAN SSR, BY 7 A. BRED I

ANDREY ANDREYEVICH BRED. RTGA, LATVIYSKOYE GOS.

IZD-V0, 19

V. ILLUS., DIAGRS., MAPS.

INCLUDES BIBLIOGRAPHY.

LIB. HAS: 1956 1957

CIA-RDP86-00513R001549820008-4

SHNITKO, K.


Geografiya Latviyskoy SSR; Uchebnik Dlya 9. Klassa Sredney Shkoly (by) A. Bred I K. Shnitko. Riga, Latviyskoye Gos. Izd-vo, 1957. 91 p. Illus.

SHNITKO, L.I.; LEVYANT, G.A.; MARTYNOV, M.M.; POZHIDAYEV, V., red.; BRUHEVSKAYA, M., red.; SLAVYANIN, I., tekhn.red.

[Hidden capacities of the reilroads in White Russia] Rezervy provoznoi sposobnosti zheleznykh dorog Pelorussii. Minsk, Gos. izd-vo BSSR. Red.nsuchno-tekhn.lit-ry, 1958. 334 p. (MIRk 12:12)

(White Russia -- Railroads)


CIA-RDP86-00513R001549820008-4



CIA-RDP86-00513R001549820008-4

potentiometer slip ring rigidly mounted bimetal the frame form a variab coefficient automatical (see Fig. 1). Orig. ar	lic clamps interact le circular slot. S ly inspite of tempe	This design I	rovides a	constant	damping	
SUB CODE: 14/ SUBM DATE		s: 5108				
			٠٠,	•		
•						
	:		-			2,000
`						
		•	•		•	
				* .*		September 1983
	1/2	•		· · · · · ·		
Card 2/2						

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4



KHARCHENKO, K., inzh.; SHNITMAN, B.

Indoor television antenna. Radio no.7:25 Jl '65. (MIRA 18:9)

KAPLAN, Ya.I.; OBUKHOV, A.I.; PILEVSKIY, M.V.; SHNITMAN, I.L.;

VYSHESLAVTSEV, S.I., nauchnyy red.; VOLNYANSKIY, A.K., glav.

red.; SOKOLOV, D.V., zam. glav. red.; TARAN, V.D., red.;

SEREHRYANNIKOV, I.G., red.; MIKHAYLOV, K.A., red.;

STAROVEROV, I.G., red.; VOLODIN, V.Ye., red.; NIKOLAYEVSKIY,

Ye.Ya., red.; SHIROKOVA, G.M., red. izd-va; GOL'BERG, T.M.,

tekhn. red.

[Assembly of elevators] Montazh liftov. Moskva, Gosstroizdat, 1962. 227 p. (MIRA 15:7)

SHNITMAN, S.B....

Steam distiller with repeated distillation and automatically controlled quality indicator. Prom. energ. 16 no.2:14-16 F '61. (MIRA 14:3)

(Distillation)

CIA-RDP86-00513R001549820008-4

1. 45/11-60 - SWI(1)/ EMI(m)/ EMI(1)/I/ EMI(1) - IJP(c) JD/GG	
ACC NR: AT5025642 SOURCE CODE: UR/2657/65/000/013/0306/0311	
AUTHOR: Shalimova, K. V.; Gulyayev, A. M.; Shnitnikov, A. S.; Kalinina, O. B.	
ORG: none	80
TITLE: Hall pickups based on thin layers of indium antimonide	
SOURCE: Poluprovodnikovyye pribory i ikh primeneniye; sbornik statey, no. 13, 1965, 306-311	
TOPIC TAGS: thin film transducer, Hall effect, thermoelectric sensor, magnetic field measurement, indium antimonide	
ABSTRACT: Hall pickups prepared by K. G. Günter's three-temperature method were developed for use as functional elements in electronic systems and for measuring the strength and configuration of magnetic fields. Thin films of indium antimonide were used as semiconductor layers, with dimensions ranging from 0.4 x 1.2 mm to 4 x 8 mm. Four different types of pickups were developed. The first type, designed for use as functional elements in multipliers, dividers, and detectors, had overall dimensions of 10 x 15 mm with a semiconductor layer 3 x 3 mm in area. Two other types of pickups were designed for measuring magnetic fields and for use in automatic devices. The fourth type measured 1.2 x 0.4 mm and was developed for measuring the configuration of magnetic fields. The resistance of the pickups was less than 1000 ohm; sensitivity was 70—180 μv/oe. The relationships between the parameters of the pickups	
Card 1/2 UDC: 621.382.61	
07010 182	All the second
A Committee of the Comm	

CIA-RDP86-00513R001549820008-4

the pickups were successfully used in magnetic field measurements, especially, because stators and rotors of electric machines. Orig. art. has: 3 figures.								Lou	JR]			
B CODE: EMEC/										4/3!	5	2 ye
,	· •								•			1.0
							•					
									-			. 4%
						3						
				•	,					•		1
						. ` .	-	•		•	·	
					•							
				•					• •			
								*		, ,		4
•												
				•			•	•				
α												:
- X										•		
rd 2/2												

Recorded Williams of the Manager Edwin, The Manager, No. 5 (57), 1700 (55-101)

Recorded Williams of the Manager Edwin, The Manager, No. 5 (57), 1700 (55-101)

Recorded Williams of the Manager Edwin, The Manager, No. 5 (57), 1700 (55-101)

SHNITNIKOV, A.V.

Intra-cycle variations of steppe lake levels of Western Siberia and no-thern Kazakhstan and their relation to the climate.

Trudy Iab. ozeroved 1:28-129 '50. (MLRA 7:7)

(Siberia, Western-Lakes) (Lakes-Siberia, Western) (Siberia, Western-Meteorology-Periodicity) (Meteorology-Periodicity-Siberia, Western)

SHIETITICT, ... 7.

178174

USSR/Hydrology - Limnology

1 Feb 51

"Secular Fluctuations of Lake Level in West Siberia and North Kazakhstan and Their Dependence on Climatic Variations" A. V. Shnitnikov, Lab of Limnol, Acad Sci USSR

"Dok Ak Nauk SSSR" Vol LXXVI, No 4, pp 523-526

Subject steppe lakes are known to vary within 15-20 yr from complete draught to overflow. Studies of 100 lakes over 250 yr resulted in establishment of 6 complete cycles from 29 to 47 yr. Empirical formula is derived which allows one to predict future developments. Submitted 7 Dec 50 by Acad D. V. Nalivkin.


17**8**r74


SHNITNIKOV, A.V.

Changes of level of steppe lakes in the southeastern section of European central U.S.S.R. within the past century. Trudy Lab.ozeroved. 2:93-107 '53. (MLRA 7:9) (Lakes)

SHNITH IKOV, A.V.

Variability of mountain glaciation of Eurasia during the late glacial and postglacial epochs and the absolute chronology. Izv. Vses.geog.ob-va 85 no.5:559-(MLRA 6:10) (Glacial epoch)





SHNITNIFOV, AFSERTY VI ADINIBOVICH

SHNITHIFOV, Arseniy Vladimirovich (Laboratory of Lake Science Ac d Sci, USSR), Academic degree of Doctor of Geographic Sciences, based on his defense, 13 June 1955, in the Council of the Leningrad Crder of Lenin State U imeni Zhdanov, of his dissertation entitled: "Changeability of the overall Humidity of Eurasia."

For the Academic Degree of Doctor of Sciences.

Byulleten' Ministerstva Vysshego Cbrazovaniya SSSR, List No. 8 14 April 1955 Decision of Higher Certification Commission Concerning Academic Degrees and Titles.

JPRS 512

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHNITNIKOV, A. V.

"The Past and Future of Lake Aral and the Big Climatic Rhythms"

report presented at the 3rd All-Union Hydrological Congress, 7-17 Oct 1957, Leningrad.

(Izv. Ak Nauk SSSR, ser geograf., 3, pp3-9, '58)

EYGENSON, M.S.; SHNITNIKOV, A.V., doktor geograficheskikh nauk, nauchnyy redaktor; GAZER, S.L., redaktor; PETROVA, T.N., tekhnicheskiy redaktor

[Sketches of physical and geographical manifestations of solar activity] Ocherki fiziko-geograficheskikh proiavlenii solnechnoi aktivnosti. [L'vov] Izd-vo L'vovskogo univ., 1957. 228 p.

(Solar radiation) (MIRA 10:7)

SHNITNIKOV. A.V.; PAVLOVSKIY, Ye.N., akademik, glavnyy red; DAVYDOV, L.K., prof., doktor geogr. nauk, otv. red.; ARONS, R.A., tekh. red.

[Variability of the general humidity on the continents of the northern hemisphere] Izmenshivost' obshchei uvlazhnennosti materikov Severnogo polushariia. Moskva, Izd. Akad. nauk SSSR, 1957. 337 p. (Geograficheskoe obshchestvo SSSR. Zapiski. Novaia seriia, vol.16). (MIRA 10:12)

1. Prezident Geograficheskogo obshchestva SSSR (for Pavlovskiy). (Humidity)

SHNITNIKOV, A.V.

The lakes of western Siberia and northern Kazakhstan and multisecular variability of moisture of the steppes. Trudy Lab. ozeroved.
5:5-63 '57.

(Siberia, Western-Lakes) (Kazakhstan-Lakes) (Steppes)

SHNITNIKOV, A.V.

Data on perennial silting of ponds in the region between the rivers Khoper and Medveditsa. Trudy Lab. ozeroved. 5:174-197 '57.

(Khoper Valley--Sedimentation and deposition) (MLRA 10:9)

(Medveditsa Valley--Sedimentation and deposition)

STINITNIKOV A.V.

10-58-3-1/33

AUTHOR:

uzens-Litovskiy, A.I., Lopatin, G.V. and Shnitnikov, A.V.

PIPLE:

The Third All-Union Hydrological Congress (Tretiy vsesoyuznyy

gidrologicheskiy s"yezd)

PERIODICAL:

Izvestiya Akademii Nauk SSSR - Seriya Geograficheskaya, 1958,

Wr 3- pp 3-9 (USSR)

ABSTRACT:

From the 7th to the 17th October 1957 the Third All-Union Hydrological Congress took place in Leningrad. There were 1,200 experts on hydrology and adjacent subjects, and guests from people's democracies present; 429 reports were delivered, among them 140 reports from workers of the Gidrometeosluzhba (The Hydrometeorological Service), about 65 from workers of the USSR Academy of Sciences and the same number of reports by workers of Soviet Higher Education Institutions. At the plenary meetings of the conference the following 9 reports were delivered: "Investigations on the Interior Waters of the

USSR and Future Tasks in Studying This Subject" by V.A.

Uryvayev; "Water Engineering Construction in the USSR and the Tasks of Hydrology" by S.N. Kritskiy, M.F. Menkel' and A.I.

Chebotareva; "Investigating Lakes and water Reservoirs of the

Card 1/6

The Third All-Union Hydrological Congress

10-58-3-1/29

USSR" by Ye.V. Bliznyak and V.G. Andreyanov; "The Utilization of the USSR Water Resources and the Future development of Water Engineering" by A.N. Voznesenskiy; "The Present Methods of Hydrological Prognosis and Ways Leading to Their Development" by G.P. Kalinin; "The Research and Computation of Water Discharges in the USSR, Their Present State and Future Development" by D.L. Sokolovskiy; "The Climatic Factors of Water Balance on the Continent" by M.I. Budyko and O.A. Drozdov; N.Ye. Kondrat'yev reported on his research regarding the deformation of river beds, and Academician I.P. Gerasimov on "The Transformation of Water and Thermal Conditions Under the Influence of Meliorative Measures", During the continuation of the conference the following reports were delivered in the 9 sections: B.L. Lichkov on "The Unity of Natural Waters and the Formation of Subsurface Waters", based on the theory of the Academician V.I. Vernadskiy; M.I. Livovich on "Complex Geographical Method in Hydrology and the Tasks of Its Development", A.V. Shnitnikov on "The Past and Future of Lake Aral and the Big Climatic Rhythms"; B.A. Apollov on "The Connection Between Solar Activity and the Phenomena Determining the Flow of Rivers"; Ye.S. Rubinshteyn and O.A. Drozdov on "Climatic Changes and Variations and the Secular Course of Frecipitations". The report

Card 2/6

The Third All-Union Hydrological Congress

10-58-3-1/29

of P.A. Kozlovskiy "Connections Between Hydrological and Terrestrial Electricity Problems" is said to have been interesting and valuable. Four reports were delivered by P.S. Kuzin, V.S. Mezentsov, V.I. Astrakhantsev and G.V. Lopatin on questions of hydrological partitioning; K.Ye. Ivanov reported on "Basic Principles of Swamp Hydrology"; V.V. Romanov on "Water Balance of Swamps in the European Parts of the USSR"; A.M. Gavrilov and P.V. Molitvin reported on their investigations regarding rivers in karst districts of the USSR; G.I. Shvets and E.G. Moskovkina reported on the secular fluctuations of the amount of water in the Dnepr and on historical floods at the lower parts of the Daugava; I.V. Bogolyubova, M.M. Ayzenberg, Y.Ye. Ioganson, S.P. Kavetskoy and others reported on the study of flood waters and on catastrophic floods in mountainous districts; A.I. Dzens-Litovskiy on "Geological and Geographical Regularity in the Distribution of Fresh-Water-; Brackish- and Salt Lakes"; B.B. Bogoslovskiy on "Water Balance of Lakes in the USSR European Territory"; M.A. Man'ko and A.V. Agupov dealt in their reports with the subsurface supply of lakes, and A.N. Afanas'yev and O.I. Khalatyan with the water balance of the Lake Baykal and the Khrami water reservoir; G.I. Galaziy reported on "Botanical Method Serving Hydrology

Card 3/6

The Third All-Union Hydrological Congress

10-58-3-1/29

and Engineering Geology". On the formation of shores and the bottom of water reservoirs, S.L. Vendrov dealt with the Tsimlyansk, the Kama, and the Kuybyshev water reservoirs; N.A. Labzovskiy, O.G. Grigor'yeva and A.S. Sukhodol'skiy on the theory of shore formation; V.M. Makkaveyev dealt with the theory of surge in water reservoirs; other reports delivered by Ye.M. Selyuk, P.I. Nikulin, V.L. Bulakh, V.P. Moskal' and I.G. Nikitin dealt with the theory of surge and in particular with the water reservoirs of Rybinsk, Kuybyshev, Kakhovka, Dnepr and Central-Asia. Matters of thermal processes and water balance of water reservoirs were treated by I.V. Molchanov, K.I. Rosinskiy, M.M. Aynbund (Lake Sevan), V.I. Verbolov (Lake Baykal), A.R. Konstantinov and G.G. Fedorova (Lake Valday). On subsurface water resources and the subsurface supply of rivers reported S.F. Aver'yanov, S.N. Bogolyubov, B.I. Kudelin, B.L. Lichkov, F.A. Makarenko, G.M. Zakharchenko, A.I. Kalabin, V.A. Sergeyev, V.I. Duginov, V.A. Korobeynikov, G.F. Basov. N.I. Druzhinin, A.V. Lebedev, O.V. Popov and others referred to the state of subsurface water supplies and A.A. Rode, N.N. Favorin, A.K. Filippov and others to the water physical characteristics of soils. A.M. Ovchinnikov, V.I. Dukhanin and others reported on their investigations of the regularity of

Card 4/6

The Third All-Union Hydrological Congress

10-58-3-1/29

subsurface water formation and distribution in the Russian lowland. From the region: reports are mentioned: M.M. Ivanitsin, on the formation of subsurface water in the irrigated cases of Uzbekistan; B.N. Arkhangel'skiy, on underground depressions in the North-Western district; M.V. Silich, on the karst of the Lithuanian SSR. The question of evaporation from the water surfaces was covered by Z.A. Vikulin, D.L. Laykhtman, T.V. Kirillov, A.A.Krassovskaya, M.P. Timofeyev, N.I. Yakovlev and others. On the subject of evaporation from ground and vegetation, reports were delivered by V.F. Pushkarev, A.R. Konstantinov, V.V. Romanov, N.P. Rusin, V.I. Kuznetsov, S.F. Fedorov, V.F. Shebeko and others. On ice and snow research spoke G.D. Rikhter: Ye.Ya. Shcherbakov, I.V. Ivanov, P.P. Kuz'min, O.A. Spengler, A.P. Braslavskiy, A.G. Kolesnikov, A.A. Pivovarov, A.G. Pronin, B.P. Panov and others. On hydrochemistry and sanitary preservation of water, reports were delivered by N.M. Bochkov, S.M. Drachev, M.I. Kriventsov, A.O. Alekin, P.F. Bochkarev, N.V. Veselovskiy, P.P. Voronkov, K.K. Votintsev, S.G. Vznuzdayev, K.V. Filatov and others; on the regularity of chemical composition in natural waters of different geographic A.O. Alekin, L.V. Brazhnikova, P.V. Voronzones reported

Card 5/6

The Third All-Union Hydrological Congress

10-58-3-1/29

kov, A.I. Dzens-Litovskiy and others. Considerable attention was paid to the study of the conditions in regulated rivers and the state of technical equipment in hydrometric work (O.N. Borsuk, Ye.M. Znamenskaya, S.I. Koplan-Diks and A.K. Proskuryakov). On the possibility of using physical methods of measuring, based on the laws of ultra-accoustics and nuclear radiation, reported M.M. Arkhangel'skiy, A.M. Dimaksyan and Ye.V. Berg. I.V. Popova and Ye.A. Romanova reported on the future possibilities of using air photosurvey. Ye.V. Bliznyak proposed a scheme to systematize information on USSR water resources. On new methods of calculating the regulation of flow reported S.N. Kritskiy and M.F. Menkel'; I.A. Zheleznyak elucidated the phenomenon of transformation of the flood flow by means of a system of water reservoirs. Thirty five reports were presented by representatives of people's democracies.

AVAILABLE.

Library of Congress

ward o/6

1. Conferences - Hydrological Congress - Leningrad

2. Hydrology - USSR

LICHKOV, Boris Leonidovich, prof.; PAVLOVSKIY, Ye.N., akademik, glavnyy red.; TOLSTIKHIN, N.I., otv.red.; SHNITNIKOV, A.V., otv.red.; SUVOROV, I.V., red.izd-va; BOCHEVER, V.T., tekhn.red.

[Natural waters of the earth and the lithosphere] Prirodnye vody Zemli i litosfera. Moskva, Izd-vo Akadanauk SSSR, 1960. 163 p. (Geograficheskoe obshchestvo SSSR, Zapiski. Novaia seriia, vol.19) (MIRA 14:5)

1. Prezident Geograficheskogo obshchestva SSSR (for Pavlovskiy). (Earth)

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHNITNIKOV, A. V.

"Dynamics of Climatic and Other Components of the Geographical Sphere in the Epoch of Holocene (Eurasia and Fennoscandia in particular)"

report to be submitted for the Intl. Geographical Union, 10th General Assembly and 19th Intl. Geographical Congress, Stockholm, Sweden, 6-13 August 1960.

SHNITNIKOV, A.V.

Spring runoff of rivers in the Khoper-Medveditsa interfluve during the period 1949-1955 as compared with the normal annual runoff.

Trudy Lab. ozeroved. 9:14-29 '60. (MIRA 13:8)

(Khoper Valley-Runoff)

(Medveditsa Valley-Runoff)

SHNITNIKOV, A.V.

Recent transformation of the Volga flood plain and its lakes near the mouth of the Ilet's River. Trudy Lab. ozeroved.10:142-159 160.

(Volga Valley--Hydrography)

KALESNIK, S.V., prof., otv. red.; LOPATIN, G.V., doktor geogr. nauk, red.; SHNITNIKOV, A.V., doktor geogr. nauk, red.; MOSEVICH, N.A., doktor biolog. nauk, red.; ZHELEZNYAK, I.A., kand. tekhn. nauk, red.; TSVETKOV, N.V., red. izd-va; ZAMARAYEVA, R.A., tekhn. red.

[Small bodies of water in lowland regions of the U.S.S.R. and their utilization] Malye vodoemy ravninnykh oblastei SSSR i ikh ispol'zovanie. Moskva. 1961. 399 p. (MIRA 14:5)

1. Akademiya nauk SSSR. Laboratoriya ozerovedeniya. 2. Chlenkorrespondent AN SSSR (for Kalesnik) (Water resources development--Congresses)


SNITNIKOV, A. V. [Shmitnikov, A. V.]

Present phase of the variation of the Alpine intrasecular glaciation in the northern hemisphere. Analele geol geogr 15 no.4:112-150 0-D 61.

(Glaciers)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4



SHNITNIKOV, A.V.

Lakes of western Asia as indicators of fluctuations in the total humidity of their basins. Trudy Lab.ozeroved. 15:4-74 '63. (MIRA 16:3)

(Soviet Central Asia-Lakes)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4

SHNTTNERW. 4. .

ide-generating force as a factor of the changeability of mountain glaciation. Geog. sbor. no.17:102-140 '64. (MIRA 18:8)

10(4), 3(5) AUTHOR:

Shnitnikov, D.V., Engineer

507/98-59-9-15/29

TITLE:

Resistance Against Erosion by Various Types of Per-

mian Sediments

PERIODICAL:

Gidrotekhnicheskoye stroitel'stvo, 1959, Nr 9

p 47 (USSR)

ABSTRACT:

A characteristic velocity of water which starts to cause erosion by various permian sediments and a certain relation between this velocity and swelling deformation caused by water-saturation softening, were tried to be determined by laboratory experiments. No regular relation between a scouring velocity of water and the depth and lithological type of the tested strata has been observed. The characteristic scouring velocity amounts from 0.55 to 2.70 m/sec for various types of permian sediments. The samples more deformed by water saturation were, as expected, less resistant to scouring than the less deformed ones. There are 1 table and 1 graph.

Card 1/1

GRAD, N.Ye.; DUSHIN, B.M.; MERZON, A.G.; SHNITNIKOV, S.Ya.; KOVTUNOVICH, S.D.; UMANSKIY, A.A.

Efficient utilization of crumpled hides in the manufacture of chrome leather. Kozh.-obuv.prom. 6 no.1:20-22 Ja '64. (MIRA 17:4)

"APPROVED FOR RELEASE: 08/23/2000


CIA-RDP86-00513R001549820008-4

SHNITNIKOV, V.N. ed.

SHNITNIKOV, V.N. ed. ... Dzhetysu (Semirech'e) Estestvenno-istoricheskoe opisanie kraia. Tashkent, Uzbek gosizdat, 1925. 234 p.

A MN

SO: LC, Soviet Geography, Part II, 1951, Unclassified



SHNITNIKOV, V.N., doktor biologicheskikh nauk, zasluzhennyy deyatel nauki KazSSR; MARIKOVSKIY, P.I., doktor biologicheskikh nauk, redaktor; GUSEVA, N., redaktor; BARANOV, M., redaktor; KHIGIROVICH, I., tekhnicheskiy redaktor; ZIOBIN, M., tekhnicheskiy redaktor

[Our animals in photographs from nature] Nashi zhivotnye v fotografiiakh s natury. Alma-Ata, Kazakhskoe gos. izd-vo. Vol.2. 1949.
271 p. Vol.5. 1954 308 p.
(Kazakhstan--Zoology)

(Kazakhstan--Zoology)

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHNITNIKOV, V.N.

SHNITNIK V, V.N. Ptitsy Semirechia. Moskva, 1949. 664, (3) p. (Akademia Nauk SSSR). Bibliography: p. 661-/665/. DLC: QL691.R9S47

SO: LC, Soviet Geography, Part II, 1951/Unclassified.

SHNITNIKOV.V., ornitolog

In the wilds of Polesye. Vokrug sveta no.7:41-44 J1'55.
(Polesye--Birds) (MLRA 8:10)

SHNITNIKOV.V.

In the thickets of Polesye. Vokrug sveta no.8:49-51 Ag'55.
(Polesye--Birds) (MIRA 8:12)

SHNITNIKOV. Vladimir Nikolavavich; METANIYEVA, M., redaktor; MIKHAYLOVSKAYA, N., tekhnicheskiy redaktor

[Animals and birds of our country] Zveri i ptitsy nashei strany.
[Moskva] Izd-vo TsK VIKSM "Molodaia gvardiia," 1957. 252 p.
(Birds) (Mammals) (MIRA 10:8)

SHNITNIKOV, Vladimir Nikolayevich, doktor biolog.nauk; KUZNETSOV, N.S., red. [deceased]; VILENSKAYA, E.N., tekhn.red.

[Recollections of a naturalist] Iz vospominaii naturalista.

Moskva, Gos. izd-vo geogr.lit-ry, 1958. 323 p. (MIRA 12:2)

(Nature study)

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

Thuitoikes V.N.
Formozov, A.N., Professor (Moscow)

AUTHOR:

26-58-6-46/56

TITLE:

Biological Outlines of Animals and Birds of the Soviet Union

(Biologicheskiye ocherki o zveryakh i ptitsakh Sovetskogo

Soyuza)

PERIOPICAL:

friroda, 1958, Nr 6, p 118-120 (USSR)

ABSTRACT:

This is a critical review of the book "Animals and Birds of Our

Country" by V.N. Shnitnikov published by "Molodaya gvardiya"

Card 1/1

in 1957.

1. Books-Review

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4

SHNITNIKOVA, Z.Z.

AID P - 2487

: USSR/Medicine Subject

Pub. 37 - 16/19 Card 1/1

Goromosov, M. S., Bobrov, L. S., Galanin, N. F., Shnitnikova, Z. Z., Ivachev, V. V. Authors

THE RESERVE OF THE PROPERTY OF Activities of the All-Union Scientific Society of Title

Hygienists

Periodical: Gig. i san., 7, 56-58, J1 1955

An account of the Conference of the Board of the above Abstract

society on February 16, 1955, and of the activities of the Moscow, Leningrad and Kazan branches in 1954-1955.


None Institution:

Submitted : No date

Concerning M.A.Sarkisian's article "On the dissemination of cysts of enteric protozoa by contact." Gig. i san. 21 no.11:50 N '56.

(PROTOZOA, PATHOGENIC)

(MIRA 10:2)



CIA-RDP86-00513R001549820008-4" APPROVED FOR RELEASE: 08/23/2000

SHNITHIKOVA, Z.Z. (Leningrad)

Method for a graphic analysis of age-sex composition of the population and its application. Gig. i san. 24 no.3:47-52 Nr '59.

(POPULATION, statist.

age-sex composition, graphic analysis (Rus))

SHNITNIKOVA, Z.Z.

Concerning V.Doleisi's article "Analysis of the results of statistical studies." Sov. zdrav. 20 no. 9:84-85 '61. (MIHA 14:12)

(MEDICAL STATISTICS) (DOLEISI, V.)

SHITTNIKOVA, Z.Z. (Loningrad)

Reply to the article "Goronary insufficiency in intellectual workers" E.E. Krister and coauthors. Klin. med. 40 no.11: 144-147 Nº62 (MIRA 16:12)

SHNITNIKOVA, Z.Z. (Leningrad)

Use of modern statistical methods in the processing of report materials on the incidence of disease among the population. Zdrav. Ros. Feder. 7 no.6:36-39 Je '63.

(MIRA 17:1)

BASSARAB, R. I. and KORPAN, A. I. (Veterinary Doctors, Stanislav Oblast' Veterinary Bacteriological Laboratory), SHNITSAR, V. I. (Head Veterinary Doctor, Galician District, Stanislav Oblast'). (Abstracted by NOSKOV, A. I.)

"Use of phenothiazine emulsion in treatment of herpes tonsurans".... Veterinariya, vol. 39, no. 3, March 1962 pp. 27

SHNITSER, C.B., inzb.; TSIKHON, V.A., inzh.

New equipment for making prestressed reinforced concrete products using vibrating stampers. Stroi.i dor.mashinostr.

4 no.12:19-21 D '59. (MIRA 13:3)

(Prestressed concrete) (Vibrators)

SHNITSER, G.M.

Efficient circuit for the control of the electric driving of filter presses. Sakh. prom. 37 no.3:49-50 Mr '63. (MIRA 16:4)

1. Dondyushanskiy sakharnyy zayod.

(Filters and filtration-Electric driving)

5/096/62/000/006/011/011 E194/E454

21,2120

Shnitser, G.Ya., Engineer

Nomograms for approximate calculation of flow over AUTHOR:

TITLE: turbine blading

PERIODICAL: Teploenergetika, no.6, 1962, 92-93

The approximate method of calculating the velocity distribution over the profile of a turbine blade which is given (ibid. no.8, 1955) and which is valid for an incompressible fluid in a curved duct is based on the following procedure. calculate the velocity wil at the point A on the back of the profile (Fig.1) a circuit is constructed in the duct which is tangential to the blading at the points A and B and the duct width is determined along the equipotential line AB using the formula

$$\overline{w}_{1} = \overline{t} \cdot \frac{\overline{h}}{1 + 0.29\overline{h}} \cdot \frac{\overline{h}}{2(2 + \overline{h}) \cdot \overline{R}_{1}},$$

$$\overline{h} = \overline{t} \cdot \frac{\overline{h}}{1 + 0.29\overline{h}} \cdot \frac{\overline{h}}{2(2 + \overline{h}) \cdot \overline{R}_{2}},$$

$$\overline{r}_{1} = \overline{w}_{1} : \overline{R}_{2} = \frac{R_{2}}{R_{1}} : \overline{h} = \frac{h}{R_{1}} : \overline{t} = \frac{t}{R_{1}};$$

Card 1/

S/096/62/000/006/011/011 E194/E454

Nomograms for approximate ...

where w_l - the rate of flow on the back of the profile at point A; w_Z - the divergent velocity component; R_2 - the radius of curvature of the concave side of the blade; R_l - the radius of curvature of the back of the blade; h - the duct width measured along the equipotential lines. The rate of flow on the convex side of the blading w_2 is calculated from the formula

$$\frac{\frac{1}{w_1}}{\frac{w_2}{w_1}} = \frac{1 - 0.5 \frac{\overline{h}}{R_2}}{1 + 0.5\overline{h}}$$
 (2)

Although more accurate formulae have been proposed for calculating the flow in curved ducts, the early method is still widely used because of its simplicity and adequate accuracy and accordingly it is of interest to simplify the calculations by constructing a nomogram to replace formulae (1) and (2). The method of doing this is explained and the nomogram is reproduced as Fig.2. The use of the nomogram is conveniently illustrated by examples. Given $R_2 = 1.78$; h = 0.45; t = 0.83 determine the velocity w_1 . Procedure $R_2 - h_2 - (F_1) - t - w_1$.

S/096/62/000/006/011/011 E194/E454


Nomograms for approximate ...

The points corresponding to 1.78 on the scale of R_2 and to 0.5 on the scale h_1 are joined by a straight line which is produced to intersection with the F scale. A line was drawn from this point through the point 0.83 on the scale of \bar{t} and produced to intersection with the scale w_1 giving the answer $w_1 = 2.22$. Second example, to determine the velocity w_2 : Procedure $R_2 - h_2 - (F_2) - w_2 - w_1$. Through the point 1.78 of the vertical scale R_2 and the point 0.45 of the point draw a line and produce to intersection with

Through the point 1.78 of the vertical scale R_2 and the point 0.45 of the h_2 scale draw a line and produce to intersection with the F scale. From this point draw a line through the point 2.22 on the w_1 scale and produce to intersect with the w_2 scale to give the answer $w_2 = 1.58$. There are 2 figures.

Fig.1.

Card 3/4 -



L 10025-63 EMP(q)/BDS/EWT(m)-AFFTC-JD/HW ACCESSION NR: AP3000977 S/0229/63/000/005/c028/0030

52

AUTHOR: Shnitser, G. Ya., Engineer.

TITLE: Nomogram for the calculation of tensile stresses in turbine buckets of variable section.

SOURCE: Sudostroyeniye, no. 5, 1963, 28-30

TOPIC TAGS: gas-turbine buckets, tensile stresses in turbine buckets, variable-section turbine buckets, nomogram for turbine buckets.

ABSTRACT: The paper presents a nomogram developed from the fundamental equations for the tensile stresses in variable-section turbine blades or buckets at a given radius r. The nomogram consists of two parts which are employed successively in stress calculations. The use of the nomogram shown in the paper, which is constructed for steel buckets, permits solution of the following which is constructed for steel buckets, permits solution of the following problems: (1) Determination of the tensile stresses in the root section of a bucket with a prescribed area ratio; (2) determination of the area ratio at which the stresses in the root section do not exceed a prescribed magnitude, for

Card 1/2

L 10025-63 ACCESSION NR: AP3000977

a variation of the relative length of the bucket and the peripheral speed or with the steam-passage area and the rpm; (3) calculation of the tensile stresses in the bucket root section for complex distributions of the areas of steam passage along the length of the blade. Three problems are worked out in numerical detail. It is noted that, following the determination of the stresses in the root section of a blade, the position of the center of gravity of the entire blade is readily determined. The nomogram-derived values were compared with values obtained by approximate integration using the trapezoid method with ten intervals along the length of a blade. The principal value of the nomogram is for preliminary-design purposes, when only the length of the blades and their peripheral speeds are available, and the nomogram can be usefully employed to determine the number of stages and other basic design parameters. There are 7 numbered equations and 3 figures.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: OlJul63

ENCL: 00

SUB CODE: PR.MD

NR REF SOV: 002

OTHER: OOO

C-rd 2/2

\$/096/63/000/002/001/013 E194/E455

AUTHORS:

Shagalova, S.L., Candidate of Technical Sciences,

Timoshin, Yu.A., Reznik, V.A., Shnitser, I.N., Engineers

TITLE:

An experimental study of the process of combustion of anthracite dust in the furnaces of large steam boilers

FERIODICAL: Teploenergetika, no.2, 1965, 2-9

The combustion of anthracite dust was studied in the following boilers: type TTI-70 (TP-70) of 430 tons per hour with 12 combined pulverized-fuel/gas burners based on the ORGRES turbulent dust burner; type T [1-230-2 (TP-230-2) of 250 tons per hour with 6 round turbulent Babcock-TKZ burners and type T [1-230-5] (TI-230-B) of 230 tons per hour with 8 direct-flow pulverized fuel burners. A study was first made of the distribution of gas, fuci and temperature in the flames and the procedure is described. Considerable unevenness was found in the distribution of fuel and air between burners in boilers TP-230-2 and TP-70; it was corrected by dampers before the main tests were started. The influence of the following factors on the rate of combustion of anthracite dust was then studied; the excess-air factor, the primary and secondary air speeds and the primary/secondary air ratio, Card 1/3

CIA-RDP86-00513R001549820008-4" APPROVED FOR RELEASE: 08/23/2000

S/096/63/000/002/001/013 E194/E455

An experimental study ...

the fineness of milling of the fuels and the thermal loading of the Extensive measurements were made of changes in gas furnace space. composition, fuel content and temperature over the flame length. The performence of the various burners is discussed. The general conclusions concerning the combustion of anthracite dust with a range of particle sizes in direct flow flames are that the fine particles are burnt in the first part of the flame, 90% of the fuel being burned in about a quarter of the total combustion time, the Latter part of which is taken up by incomplete combustion of large particles, which constitutes much of the unburned fuel loss. Where the fuel is burning very rapidly the oxygen concentration in: the flame drops to 2 - 4%. The rating of screened single-chamber furnaces of the type described can be raised to 200 x 103 kcal/m3h with an unburned fuel loss of 3%, but to achieve this rate the furnace gas discharge temperature must be raised and slagging may be experienced, so that the factor which limits the thermal loading is the heat-exchange rate. To increase furnace loadings the combustion conditions should be such that large particles are readily burned, as in cyclone or vortex type furnaces. There are Card 2/3

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4

An experimental study ... S/096/63/000/002/001/013
E194/E455
7 figures and 2 tables.
ASSOCIATION: Tsentral nyy kotloturbinnyy institut
(Central Boiler and Turbine Institute)

Card 3/3

SHAGALOVA, S.I., kand.tekhn.nauk; TIMOSHIN, Yu.A., inzh.; SHNITSER, I.N., inzh. Effect of the uneven distribution of dust and air in burners on

Effect of the uneven distribution of dust and air in bullets on the magnitude of mechanical incomplete combustion of anthracite culm. Energomashinostroenie 10 no.1:22-25 Ja '64. (MIRA 17:4)


SHAGALOVA, S.L., kand. tekhn. nauk; GUSEV, L.N., inzh.; SHNITSER, I.N., inzh.

Study of the combustion of anthracite culm in the combustion chamber of the TP-90 boiler with continuous flow-type long-slotted burners. Teplo-energetika 11 no.8:36-41 Ag '64.

1. TSentral'nyy kotloturbinnyy institut.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4



SHAGAICUL, S.L., Mand. tekhn. mank; SHRITGER, I.N., Inch.; GRAMOV, G.V., inch.

Study of the nerodynamic energeteristics of a flow emitted by a burner with blade mechanism. Teplcenergetika 12 po.6:27-37 (MIRA 18:9)

Je '65.

1. TSeneral'nyy manchno-louledowntel'skiy ketleturbinnyy institut imeni 3.1. Folkunova i ZiG.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R001549820008-4

L 05691:-67

ACC NR: AP6019731

SOURCE CODE: UR/0096/66/000/007/0037/0041

AUTHOR: Shagalova, S. L. (Candidate of technical sciences); Reznik, V. A. (Candidate of technical sciences); Shnitser, I. N. (Engineer); Barbyshev, B. N. (Engineer)

ORG: TsKTi-TKZ

TITLE: Furnace aerodynamics and anthracite combustion during the operation of

direct- and vortical-flow burners

SOURCE: Teploenergetika, no. 7, 1966, 37-41

TOPIC TAGS: aerodynamic design, coal, vortex flow, furnace, steam boiler Combustion

Kinetics

ABSTRACT: The authors study furnace dynamics and combustion kinetics of anthracite during the operation of direct- and vortical-flow burners. Results are given from a study on the aerodynamics of a burning jet. The firebox velocity fields of the TP-90 boiler operating with long-flame burners and TP-70 boilers operating on ORGRES-TsKTI vortical type short-flame burners are compared with the results of cold scavenging. Analysis of the data shows that qualitative calculations carried out with respect to cold burner scavenging cannot be applied to processes which occur during firebox burner operation. Burning jet data must be used for calcu. ting the material and thermal balances at the initial part of the jet. This isothermal data can be used

Card 1/2

UDC: 683.87:621.18.001.5

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

B CODE: 13,21/SUBM DATE: None/ ORIG REF: 002	ements at	ining burner resi nd for explaining 6 figures, 2 tab	the quali	tative nature	the design of gas flow in	individual b the furnace.	urner Orig.
					•		
	l						

34 27/10150

**USSR/Medicine - Pleurisy Medicine - Therapeutics

"Ozokerite Therapy for Exudative Pleurisy," I. S. Shnitser, G. P. Shul'tsev, A. A. Shmidt, Therapeutic Clinic, Cen Inst for Advancement of Doctors, 2 pp

"Sov Med" No 9

This therapy was begun only recently, and to date the number of cases is less than 100. It proved most effective when combined with heat treatments. Produces a slight narcotic condition. Although research conducted by authors is extremely limited, results are published for future reference.

SHMITSER, I. S. (Co-author)

See: VILENSKAYA, F. L.


Shnitser, I. S. and Vilenskaya, F. L. -"Diagnosis of primary cancer of the gall bladder," Vracheb. delo, 1949, No. 2, columns 123-26

SO: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 14, 1949).

SHNITZER, I.S.

Venous blood pressure in Bosedow's disease. Sovet.vrach.sborn. no.17:28-29 \$ '49. (CIML 19:2)

1. Of the Hospital Therapeutic Clinic (Director -- Prof. W.F. Zeleniy, Active Member of the Academy of Medical Sciences USSR) of the Second Moscow Medical Institute.



Demancery I. De

KRASOVITSKAYA, S.Ye.; SYRKINA, P.Ye.; SCHNITZER, I.S.; SHAPIRO, S.M.

Anoxia syndrome in hypertonia. Ter.arkh. 22 no.2:8-13 Mr-Ap '50. (CLML 19:3)

1. Of the Department for the Therapy of Internal Diseases (Head -- Prof. M.S. Vovsi, Major General Medical Corps, Active Member of the Academy of Medical Sciences) and of the Department of Pathological Physiology (Head -- Prof. A.M. Charnyy), both of the Central Institute for the Advanced Training of Physicians.

SHUITONE, I.S., THER.: CUMBUICH, I.T., NUMBUI

Goiter

Roentgenocardiokymography in Pacedow's disease. Elin. med., 30, No.(, 1972.

Monthly List of Tussian Accessions, Library of Congress, October, 1952, UCLASSIFIED

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHNITSER, 1.S., professor (Kislovodsk); GAVRILOVA, Ye.a. (Kislovodsk).

Effect of weather on hypertension. Klin.med. 31 no.10:28-31 0 '53.

(MLRA 6:11)

1. Iz kafedry terapii i bal'neologii (zaveduvushchiy - professor I.S.Shnitser)
TSentral'nogo instituta usovershenstvovaniya vrachey i sanatoriya im. I.V.
Stalina (direktor O.A.Paukhov) Upravleniya Kislovodskogo kurorta.

(Hypertension) (Climatology, Medical)

SHNITSER, I.S., professor; GASKINA, I.Ye.

Application of Narzan baths in disorders of cardiac rhythm.
Terap.arkh. 26 no.1:45-50 Ja-F *54. (MLRA 7:5)

1. Is kafedry terapii i bal'neologii (sav. - prof. I.S.Shnitser)
TaIU i sanatoriia "Narzan" (Kislovodsk).

(ARRHYTHMIA, therapy. (BAINROLOGY, in various diseases, balneol.)

SHNITSER, I.S. professor

On the Morgagni-Adams-Stokes syndrome. Klin.med. 34 no.7:78-79 J1 '56. (MLRA 9:10)

1. Iz kafedry klinicheskoy i voyenno-polevoy terapii Voyenfaka TsIU (nach. kafedry. prof. S.A.Pospelov) (HEART BLOCK, compl. Adams-Stokes synd.)

```
Changes in the heart in Basedow's disease. Klin.med. 34 no.11:
3-12 N '56. (MLRA 10:2)

(HYPERTHYROIDISM, compl.

heart dis., ECG)

(HMART DISMASMS, eticl. and pathogen.
hyperthyroidism, ECG)

(KLECTHOCARDIOGRAPH, in various dis.
heart dis. caused by hyperthyroidism)
```

SHNITSER, I.S., professor (Moskva)

Gastritis, Med.sestra 16 no.7:8-13 Jl_'57. (MIRA 10:11)

(STOMACH--DISEASES)

SHNITSER, I.S., prof. (Moskva)

Pulmonery suppurations. Med.sestra 16 no.11:9-13 N '57. (MIRA 11:2)

(IUNGS--DISEASES)

SHNITSER, I.S., prof.

Stenocardia. Med.sestra 17 no.5:3-7 My158

(MIRA 11:6)

1. Klinicheskaya ordena Lenina bol'nitsa imeni S.P. Botkina, Moskva. (ANGINA PECTORIS)

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

Changes in some internal organs in burn trauma. Sov. med. 24 no.4:
54-61 Ap '60.

(BURNS AND SCALDS)

(BURNS AND SCALDS)

"APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001549820008-4

SHNITSER, I.S., prof. (Moskva)

Treatment of patients with bronchial asthma. Klin.med. 38
no.10:12-16 0 *60. (MIRA 13:11)

SHNITSER, I.S., prof. (Moskva)

Recent state of the problem of rheumatism. Trudy MONIKI no.5:
3-16 '62. (RHEUMATIC FEVER)

L 57502-65 EWT(1)/EWP(m)/EWA(d)/FCS(k)/EWA(1) Pa-1 UR/0096/65/000/006/0027/0032 ACCESSION NR: AP5013999 683.87.001.5 AUTHORS: Shagalova, S. L. (Candidate of technical sciences); Shmitser, I. N (Engineer); Gromov, G. V. (Engineer) TITLE: Investigation of the aerodynamic flow characteristics produced by a burner with vane deflectors SOURCE: Teploenergetika, no. 6, 1965, 27-32 TOPIC TAGS: powdered fuel, fuel burner, fuel injector, furnace burner/ UT 11 2 20 burner ,0 ABSTRACT: The experiments with powdered fuel burner UT-11-2 (capacity 5 t/hr, used on boilers with capacity 640 t/hr) presented previously by S. L. Shagalova, I. N. Shnitser, and G. V. Gromov ("Teploenergetika" No. 3, 1965) were continued by determining the serodynamic characteristics of the flow in a 1:4 scale model (see Fig. 1 on the Enclosure). Flow irregularity, change of velocity along the flame axis, swirl in the flow, angle enclosed by flame, size of recirculating regions, and amount of recirculation were measured. A comparison with other types of burners was also performed. It was found that in the range of speeds wo/w, from 1.0 to 1.8 with